ABOVE GROUND CONDUIT SYSTEM AND FITTINGS



1. IDENTIFICATION

Product identifier	Above Ground Conduit and Fittings			
Product code	Series 10, 12, 20 and 22			
Other means of identification	None.			
Recommended use of the chemical and restrictions on use	Above ground Conduit System Product for electrical and/or telecommunication installations. Not recommended for any other use not detailed on product data sheet or label.			
Manufacturer	FRE COMPOSITES INC. 75 Wales Street Saint-André-d'Argenteuil Quebec, Canada JOV 1X0 Tel: 450-537-3311 Tel toll-free: 1-888-849-9909 www.frecomposites.com FRE COMPOSITES USA INC. 60 Greenhorn Drive Pueblo, CO USA 81004 Tel.: 719 565-3311			
Emergency phone number	1-888-849-9909			


2. HAZARD IDENTIFICATION

	This product is not regulated according to the Canadian Hazardous Products Act (HPA) and Hazardous Products Regulations (HPR) SOR/2015-17 (or WHMIS 2015) and to OSHA 29CFR Part 1910.1200 (HazCom 2012).	
Summary	WHMIS 2015/GHS/OSHA HCS 2012	
	Not Regulated under WHMIS 2015 P103: Read label before use. Not Regulated under OSHA HCS 2012/GHS	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common name	CAS	Weight % content
Glass, oxide, chemicals	65997-17-3 60 - 80 %	
Polymerized Epoxy Resin	Polymer Epoxy 15 - 40 %	
Phenol, isopropylate, phosphate (3:1)	68937-41-7 1 - 5 %	
Carbon black	1333-86-4	0.1 - 1 %

Note: Polymerized Epoxy Resin does not have a known CAS number. This ingredient has no physical danger and no health danger. The manufacturer withholds the actual concentration range of the ingredients as a trade secret.





FRE^{MD} SAFETY DATA SHEET

ABOVE GROUND CONDUIT SYSTEM AND FITTINGS



4. FIRST-AID MEASURES

Inhalation	No first aid is necessary.	
Skin contact	No first aid is necessary.	
Eye contact	Flush with water for at least 15 minutes. Remove contact lenses if easy to do. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.	
Ingestion	Not relevant to this product.	
Other	No additional information.	
Symptoms	No critical hazards to health.	
Notes to the physician	No critical hazards to health.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use appropriate extinguisher for surrounding fire.		
Specific hazards arising from the chemical	No hazard listed.		
Special protective equipment	Firefighters must wear self contained breathing apparatus with full face mask.		
Special protective actions for firefighters	None reported.		

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Make sure to wear personal protective equipment mentioned in this Safety Data Sheet.	
Environmental precautions	No hazard listed.	
Methods and materials for containment and cleaning up	Pick up mechanically and reuse as long as it is not contaminated.	

7. HANDLING AND STORAGE

Precautions for safe handling	Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved.	
Conditions for safe storage, including any incompatibilities	Store away from direct sunlight.	
Storage temperature	15 to 25°C (59 to 77°F)	



ABOVE GROUND CONDUIT SYSTEM AND FITTINGS



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Immediately Dangerous to	Life or Health		Carbon black: 1750	mg/m3.	
Glass, oxide, chemicals	TWA (8 h)	Inhalable Fraction	5 mg/m³	1 f/cc	ACGIH
Carbon black	Ceiling TWA (8h)	Total Dust Total Dust	5 mg/m ³ 10 mg/m ³ 3,5 mg/m ³ 3 mg/m ³ 3,5 mg/m ³	3 f/cc	NIOSH RSST OSHA ACGIH , BC, ON RSST
Appropriate engineering controls Provide sufficient mechanical ventilation (general or local exhaust) to keep the airborne concentrations aerosols or dust below their respective occupational exposure limits					

Individual protection measures			
Eye	Wear safety glasses with side shields.		
Hands	Wear leather gloves, nitrile or neoprene gloves. Discard gloves with tears, pinholes, or signs of wear.		
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Wear normal work clothing covering arms and legs as required by employer code.		
Respiratory	Respiratory protection is not required for normal use. Wear a respirator where the conditions in the workplace require it. Moreover, respiratory protection equipment (RPE) must be selected, fitted, maintained and inspected in accordance with regulations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Z 94.11 (Canada) and approved by NIOSH/MSHA.		
Feet	None		

Safety glasses



Nitrile gloves





ABOVE GROUND CONDUIT SYSTEM AND FITTINGS



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid	Flammability	Non-flammable	
Colour	Black	Flammability limits	Non-flammable	
Odour	Odourless	Flash point	N/Ap.	
Odour threshold	N/Av.	Auto-ignition temperature	N/Av.	
рН	N/Ap.	Sensibility to electrostatic charges	No	
Melting point	N/Av.	Sensibility to sparks and/or friction	No	
Freezing point	N/Av.	Vapour density	N/Av. (Air = 1)	
Boiling point	N/Av.	Relative density	1.7 to 1.9 kg/L (Water = 1)	
Solubility	Soluble in water.	Partition coefficient n-octanol/water	N/Av.	
Evaporation rate	N/Av.	Decomposition temperature	N/Av.	
Vapour pressure	N/Av.	Viscosity	N/Av.	
Percent Volatile	N/Av.	Molecular mass	N/Ap.	

N/Av.: Not Available N/Ap.: Not Applicable Und.: Undetermined N/E: Not Established

10. STABILITY AND REACTIVITY

Reactivity	No reaction expected.	
Chemical stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions (including polymerizations)	Hazardous polymerization will not occur.	
Conditions to avoid	None reported.	
Incompatible materials	Not applicable.	
Hazardous decomposition products	No decomposition product.	



ABOVE GROUND CONDUIT SYSTEM AND FITTINGS



11. TOXICOLOGICAL INFORMATION

	Glass, oxide, chemicals	Ingestion	>2000 mg/kg	Rat	LD50	
		Skin	>2000 mg/kg	Rabbit	LD50	
	Phenol, isopropylate, phosphate	(3:1) Ingestion	>5000 mg/kg	Rat	LD50	
Numerical measures of toxicity		Inhalation	>200 mg/l/1h	Rat	LC50	
		Skin	>10000 mg/kg	Rabbit	LD50	
	Carbon black	Ingestion	>15400 mg/kg	Rat	LD50	
		Skin	>3000 mg/kg	Rabbit	LD50	
Likely routes of exposure		Skin, eyes, inhala	ation, ingestion.			
	Eye contact	Not irritating (OECD TO	G 405). The friction can cause me	chanical eyes irrita	tion.	
	Skin contact	Not irritating (OECD TO	G 404). The mechanical friction ca	an cause skin irrita	tion.	
	Inhalation	No signi	ficant effects or critical hazards t	o health.		
	Ingestion	Not a likely route of exposure.				
Delayed, immediate and chronic effects	Respiratory or skin sensitization	Ingredients present at levels greater than or equal to 0.1% of this product are not skin or respiratory sensitizers.				
	IARC/NTP Classification	Glass, oxide, chemicals Carbon black 2 IARC: 1- Carcinogenic; 2A- Pr	ARC NTP - R 2B - obably carcinogenic; 2B- Possibl ens; R- Reasonably anticipated to			
	Carcinogenicity	The product contains ingredients which are carcinogenic by inhalation of dust. However, the physical state of this product is not expected to produce dust. So there is no risk of cancer during normal use. This product does not present such risk of chronic health because the latter is bound to other materials (thermosetted resin).				
	Mutagenicity	Ingredients in this product present at levels greater than or equal to 0.1% are not known to cause mutagenic effects.				
	Reproductive toxicity	Phenol, isopropylate, phosphate (3:1) (CAS no 68937-41-7) has adverse effect on reproductive performance on rat by oral gavage. This product does not present such risk of chronic health because the latter is bound to other materials (thermosetted resin).				
	Specific target organ toxicity - single exposure	No target organ is listed.				
	Specific target organ toxicity - repeated exposure	No target organ is listed.				
Interactive effects	No information available for this product.					
Other information	The oral and skin acute toxicity estimates (ATE) of the mixture were calculated to be greater than 2000 mg/kg. These values are not classified according to WHMIS 2015 and OSHA HCS 2012.					



ABOVE GROUND CONDUIT SYSTEM AND FITTINGS



12. ECOLOGICAL INFORMATION

Ecological toxicity	Fish various LC50 > 100 mg/l; 96h			
Persistence	Contains an or many ingredients that may be persistent in the environment.			
Degradability	No information available for this product.			
Bioaccumulative potential	No bioaccumulation.			
Mobility in soil	The product is a mixture whose ingredients have moderate to low mobility in the soil.			
Other adverse effects	This chemical does not deplete the ozone layer.			

13. DISPOSAL CONSIDERATIONS



IMPORTANT!

Prevent waste generation. Use in full. Residue can be reprocessed (recycled) where there is a recovery program.

Observe all federal, state/provincial and municipal regulations. If necessary consult the

Department of Environment or the relevant authorities.

14. TRANSPORT INFORMATION

UN Number	UN N/A			
UN Proper Shipping Name	Not regulated by TDG (Canada) and 49 CFR DOT (USA).			
Environmental hazards	This material does not contain marine pollutant.			
Special precautions for user	No information available.			
	TDG - Transportation of Dangerous Goods (Canada)			
Transport hazard class(es)	Not regulated			
Packing group	Not regulated			
Emergency response guidebook 2016				
	IMO/IMDG - International Maritime Transport			
Classification	Not regulated			
	IATA - International Air Transport Association			
Classification	Not regulated			

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.



ABOVE GROUND

CONDUIT SYSTEM AND FITTINGS



15. REGULATORY INFORMATION

CANADA					
Common name	CAS	СЕРА	DSL	NDSL	NPRI
Glass, oxide, chemicals	65997-17-3		~		
Polymerized Epoxy Resin	Polymer Epoxy		~		
Phenol, isopropylate, phosphate (3:1)	68937-41-7		~		
Carbon black	1333-86-4		~		

- CEPA: List of Toxic Substances Managed Under Canadian Environmental Protection Act
- DSL: Domestic Substances List Inventory
- NDSL: Non-Domestic Substances List Inventory
- NPRI: National Pollutant Release Inventory Substances

UNITED STATES OF AMERICA

Common name	CAS	TSCA	CER CLA	EPCRA 313	EPCRA 302/304	CAA 112(b) HON	CAA 112(b) HAP	CAA 112(R)	CWA 311	CWA Prio.
Glass, oxide, chemicals	65997-17-3	~								
Polymerized Epoxy Resin	Polymer Epoxy	~								
Phenol, isopropylate, phosphate (3:1)	68937-41-7	~								
Noir de carbone	1333-86-4	✓								

- TSCA: Toxic Substance Control Act
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act list of hazardous substances
- EPCRA 313: Emergency Planning and Community Right-to-Know Act, Section 313 Toxic Chemicals
- EPCRA 302/304: Emergency Planning and Community Right-to-Know Act, Section 302/304 Extremely Hazardous Substances
- CAA 112(b) HON: Clean Air Act Hazardous Organic National Emission Standard for Hazardous Air Pollutant
- CAA 112(b) HAP: Clean Air Act Hazardous Air Pollutants lists pollutants
- CAA 112(r): Clean Air Act Regulated Chemicals for Accidental Release Prevention
- CWA 311: Clean Water Act List of Hazardous Substances
- CWA Priority: Clean Water Act Priority Pollutant list



ABOVE GROUND

CONDUIT SYSTEM AND FITTINGS



CALIFORNIA PROPOSITION 65

Common name	CAS	Cancer	Reproductive and Developmental Toxicity
Carbon black	1333-86-4	V	
Other regulations	inhalation), und	ler California Safe Drinking Wate	(airborne, unbound particles of respirable size) is listed as a cancer causing agent (through er and Toxic Enforcement Act (California proposition 65). This product does not present such age is minimal and is completely bound to other material (thermosetted resin). NFPA NFPA NFPA

16. OTHER INFORMATION

Date (YYYY-MM-DD)	FRE COMPOSITES INC. 2022-00-00						
Version	01						
Other information	- Service di http://ww ACGIH: AIHA: HMIS: NFPA: OSHA: NIOSH: NTP: Natiol Ao the best of	Information on Hazardous Chemicals and Occupational Distribution of States of the information of States of the information contained herein. Final determination of states and Occupational Distribution of States of the information contained herein. Final determination of States of Cocupational Safety and Health National Toxicology Program	RSST: GHS: IARC: IDLH: STEL: TWA: WHMIS:	Règlement sur la santé et la sécurité du travail (Québec Globally Harmonized System nternational Agency for Research on Cancer Immediately Dangerous to Life or Health Short Term Exposure Limit (15 min) Time Weighted Averages Workplace Hazardous Materials Information System			

